

## POLYNOMIALS OF MULTIPARTITIONAL TYPE AND INVERSE RELATIONS

MILOUD MIHOUBI

*University of Science and Technology Houari Boumediene, USTHB*  
*Faculty of Mathematics, P.B. 32 El Alia, 16111, Algiers, Algeria*  
**e-mail:** mmihoubi@usthb.dz or miloudmihoubi@gmail.com

AND

HACÈNE BELBACHIR

*University of Science and Technology Houari Boumediene, USTHB*  
*Faculty of Mathematics, P.B. 32 El Alia, 16111, Algiers, Algeria*  
**e-mail:** hbelbachir@usthb.dz or hacenebelbachir@gmail.com

### Abstract

Chou, Hsu and Shiue gave some applications of Faà di Bruno's formula to characterize inverse relations. Our aim is to develop some inverse relations connected to the multipartitional type polynomials involving to binomial type sequences.

**Keywords:** Bell polynomials, inverses relations, polynomials of multipartitional type, binomial type sequences.

**2010 Mathematics Subject Classification:** Primary 05A10;  
Secondary 11B83, 11B73, 40E15.

### REFERENCES

- [1] H. Belbachir, S. Bouroubi and A. Khelladi, *Connection between ordinary multinomials, generalized Fibonacci numbers, partial Bell partition polynomials and convolution powers of discrete uniform distribution*, Ann. Math. Inform. **35** (2008), 21–30.
- [2] H. Belbachir, *Determining the mode for convolution powers of discrete uniform distribution*, Probability in the Engineering and Informational Sciences **25** (2011), 469–475. doi:10.1017/S0269964811000131
- [3] E.T. Bell, *Exponential polynomials*, Ann. Math. **35** (1934), 258–277. doi:10.2307/1968431

- [4] W.S. Chou, L.C. Hsu and P.J.S. Shiue, *Application of Faà di Bruno's formula in characterization of inverse relations*, J. Comput. Appl. Math. **190** (2006), 151–169. doi:10.1016/j.cam.2004.12.041
- [5] L. Comtet, *Advanced Combinatorics* (Dordrecht, Netherlands, Reidel, 1974). doi:10.1007/978-94-010-2196-8
- [6] M. Mihoubi, *Bell polynomials and binomial type sequences*, Discrete Math. **308** (2008), 2450–2459. doi:10.1016/j.disc.2007.05.010
- [7] M. Mihoubi, *Bell polynomials and inverse relations*, J. Integer Seq. **13** (2010), Article 10.4.5.
- [8] M. Mihoubi, *The role of binomial type sequences in determination identities for Bell polynomials*, to appear in Ars Combin., Preprint available at online: <http://arxiv.org/abs/0806.3468v1>.
- [9] J. Riordan, *Combinatorial Identities* (Huntington, New York, 1979).
- [10] S. Roman, *The Umbral Calculus* (New York: Academic Press, 1984).

Received 24 February 2011

Revised 6 September 2011