

APPLICATION OF BIREGRESSIONAL DESIGNS TO ELECTRODIALYTIC REMOVAL OF HEAVY METALS FROM CONTAMINATED MATRICES

ALEXANDRA B. RIBEIRO

AND

EDUARDO P. MATEUS

CENSE, Center for Environmental and Sustainability Research
Departamento de Ciências e Engenharia do Ambiente
Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa
Campus de Caparica, 2829-516 Caparica, Portugal

e-mail: abr@fct.unl.pt

Abstract

Given a base design with quantitative factors and a primary linear regression to each of the treatments, we may adjust secondary regressions of linear combinations of the adjusted coefficients on the primary regressions on the factor levels, thus obtaining a biregression model.

A biregression design was established for a set of treatments, defined from quantitative factors and a linear regression in the same variables. Afterwards the action of the regression coefficients and their linear correlations was analysed.

This approach was used to study the electrodialytic process (ED), a decontamination technique for removal of heavy metals from polluted matrices. The method uses a low-level direct current as the “cleaning agent”, combining the electrokinetic movement of ions in the matrix with the principle of electrodialysis.

The authors have studied the removal of heavy metals from industrially heavy-metal-contaminated soil, preserved wood waste and fly ash from municipal solid waste incinerators using the application of the electrodialytic process. In this paper we show how statistics may support the development of a research line.

The removal of heavy metals was found to be described, in all studies, by low degree polynomials with null independent terms. The coefficient [twice the coefficient] of the first [second] degree terms measuring the initial rate [acceleration] of removal. Our approach enabled the study of the action of the factors defining the treatments on these, and other, coefficients of the polynomials.

Keywords: contaminated soil, preserved wood, fly ash, electro-remediation, biregressional design.

2000 Mathematics Subject Classification: 00A06, 00A71.

REFERENCES

- [1] K. Reddy and C. Cameselle, *Electrochemical Remediation Technologies for Polluted Soils, Sediments and Groundwater*, John Wiley & Sons, Inc., Hoboken, New Jersey, USA, ISBN 978-0-470-38343-8, (Eds.) (2009), 732 pp.
- [2] A.B. Ribeiro and J.T. Mexia, *A dynamic model for the electrokinetic removal of copper from a polluted soil*, Journal of Hazardous Materials **56** (3) (1997), 257–271. doi:10.1016/S0304-3894(97)00060-5
- [3] A.B. Ribeiro and J.M. Rodríguez-Maroto, *Electroremediation of heavy metal-contaminated soils*, Processes and applications, Cap. 18 In: M.N.V. Prasad, K.S. Sajwan, Ravi Naidu (Eds.), *Trace elements in the environment: Biogeochemistry, Biotechnology and Bioremediation*, Taylor & Francis, CRC Press, Florida, USA, ISBN 1-56670-685-8, (2006), pp. 341–368.
- [4] A.B. Ribeiro, E.P. Mateus, L.M. Ottosen and G. Bech-Nielsen, *Electrodialytic removal of Cu, Cr and As from chromated copper arsenate-treated timber waste*, Environmental Science & Technology **34** (5) (2000), 784–788. doi:10.1021/es990442e
- [5] I.V. Christensen, A.J. Pedersen, L.M. Ottosen and A.B. Ribeiro, *Electrodialytic remediation of CCA-treated waste wood in a 2 m³ pilot plant*, Science of the Total Environment **364** (1–3) (2006), 45–54. doi:10.1016/j.scitotenv.2005.11.018
- [6] E. Velizarova, A.B. Ribeiro, E.P. Mateus and L.O. Ottosen, *Effect of different extracting solutions in electrodialytic remediation of CCA-treated wood waste*, Part 1. Behaviour of Cu and Ni. Journal of Hazardous Materials **107** (3) (2004), 103–113. doi:10.1016/j.jhazmat.2003.09.011
- [7] E. Velizarova, A.B. Ribeiro and E.P. Mateus, *Removal of heavy metals from CCA-treated wood by ion exchange membrane-assisted methods*, In: Edward

- C. Bookings (Ed.), Trends in Hazardous Materials Research, Nova Science Publishers, Inc., New York, USA, ISBN 1-60021-335-9, Cap. 6 (92007), 165–181.
- [8] E. Moreira, J.T. Mexia, A.B. Ribeiro, E.P. Mateus and L.O. Ottosen, *Re-gressional modeling of electrodialytic removal of Cu, Cr and As from CCA trãâtãd timber waste: Application to wood chips*, Biometrical Letters **42** (1) (2005), 11–23.
- [9] E. Moreira, A.B. Ribeiro, E.P. Mateus, J.T. Mexia and L.O. Ottosen, *Re-gressional modeling of electrodialytic removal of Cu, Cr and As from CCA trãâtãd timber waste. Application to sawdust*, Wood Science and Technology **39** (4) (2005), 291–309. doi:10.1007/s00226-004-0267-z
- [10] A.T. Lima, L.M. Ottosen and A.B. Ribeiro, *Electroremediation of straw and co-combustion ash under acidic conditions*, Journal of Hazardous Materials **161**(2–3) (2009), 1003–1009. doi:10.1016/j.jhazmat.2008.04.046
- [11] C. Ferreira, P. Jensen, L.M. Ottosen and A.B. Ribeiro, *Removal of selected heavy metals from MSW fly ash by the electrodialytic process*, Engineering Geology **77** (3–4) (2005), 339–347.
- [12] S.P. McGrath, *Integrated Soil and Sediment Research: A Basis for Proper Protection*, in: H.J.P. Eijsackers, T. Hamers (Eds.) Kluwer Academic Publishers, (1993) pp. 1X7-200.
- [13] H.J.M. Bowen, Environmental Chemistry of the Elements, Academic Press, London, U.K. 1979.
- [14] A. Varela, A.B. Ribeiro, O. Monteiro, A.T. Lima, H. Domingues, and M.A. Castelo-Branco, *Caracterização inorgânica de cinza volante de uma estação de incineração de resíduos sólidos urbanos com vista à sua eventual reciclagem*, Revista de Ciências Agrárias, ISSN 0871-018X (in Portuguese) **32** (1) (2009), 207–215.
- [15] L.M. Ottosen and H.K. Hansen, *Electrokinetic cleaning of heavy metal polluted soil*, Internal Report, Fysisk-Kemisk Institut and Institut for Geologi og Geoteknik, Technical University of Denmark, Denmark, (1992), 9 pp. (in English).
- [16] D.C. Montgomery, *Design and analysis of experiments*, 5th edition, Wiley, New York 1997.
- [17] H. Scheffé *The analysis of variance*, Wiley, New York 1959.
- [18] J.T. Mexia, *Multi-treatment regression designs*, Faculty of Sciences and Technology, New University of Lisbon 1987 (in English).

Received 21 February 2010